

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO | . [| FILING DATE . | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------------------------|------|---------------|----------------------|-------------------------|------------------|
| 10/774,816 02/09/2004 | | 02/09/2004 | Clifford E. Gammons | 27230.03 | 9227 |
| 22465 | 7590 | 06/16/2005 | | EXAMINER | |
| PITTS AND BRITTIAN P C P O BOX 51295 | | | | ROANE, AARON F | |
| KNOXVILLE, TN 37950-1295 | | 37950-1295 | | ART UNIT | PAPER NUMBER |
| | | | | 3739 | |
| | | | | DATE MAILED: 06/16/200: | ς. |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | | ŀ | | | |
|---|--|---|--|---|--|--|--|
| | | Application No. | Applicant(s) | | | | |
| Office Action Summary | | 10/774,816 | GAMMONS ET AL. | | | | |
| | | Examiner | Art Unit | _ | | | |
| | | Aaron Roane | 3739 | _ | | | |
| Period fo | The MAILING DATE of this communication Reply | on appears on the cover sheet w | rith the correspondence address | | | | |
| THE - Exte after - If the - If NC - Failt Any | ORTENED STATUTORY PERIOD FOR IN MAILING DATE OF THIS COMMUNICAT nsions of time may be available under the provisions of 37 (SIX (6) MONTHS from the mailing date of this communicate operiod for reply specified above is less than thirty (30) days period for reply is specified above, the maximum statutory are to reply within the set or extended period for reply will, be reply received by the Office later than three months after the departent term adjustment. See 37 CFR 1.704(b). | TION. CFR 1.136(a). In no event, however, may a tion. s, a reply within the statutory minimum of thi period will apply and will expire SIX (6) MOI y statute, cause the application to become A | reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133). | | | | |
| Status | | | | | | | |
| 1) | Responsive to communication(s) filed on | n 09 February 2004. | | | | | |
| | • | This action is non-final. | | | | | |
| 3) | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. | | | | | | |
| Disposit | ion of Claims | • | | | | | |
| 5)□ 6)⊠ 7)⊠ | Claim(s) <u>1,6,8,9,11-14,16,19,21,22,26 and</u> 4a) Of the above claim(s) <u>22,26 and 35</u> is Claim(s) is/are allowed. Claim(s) <u>1,6,9,14,21,32 and 33</u> is/are rej Claim(s) <u>8,11-13,16,19,28-31 and 34</u> is/a Claim(s) are subject to restriction | s/are withdrawn from considera ected. are objected to. | | | | | |
| Applicat | ion Papers | | , | | | | |
| • | The specification is objected to by the Ex The drawing(s) filed on is/are: a)[| | by the Examiner. | | | | |
| | Applicant may not request that any objection | to the drawing(s) be held in abeya | nce. See 37 CFR 1.85(a). | | | | |
| 11) | Replacement drawing sheet(s) including the The oath or declaration is objected to by | · · | | | | | |
| Priority (| under 35 U.S.C. § 119 | | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | | | |
| 2) Notice 3) Infor | ot(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-9) mation Disclosure Statement(s) (PTO-1449 or PTO) er No(s)/Mail Date 2/9/2004. | 48) Paper No | Summary (PTO-413) (s)/Mail Date. <u>200505301</u> . Informal Patent Application (PTO-152) ——· | | | | |

DETAILED ACTION

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1, 6, 8, 9, 11-14, 16, 19, 21 and 28-34, drawn to a therapy device, classified in class 607, subclass 108.
- II. Claims 22, 23 and 35, drawn to method of manufacture of a therapy device, classified in class 5, subclass 423.
- III. Claim 26, drawn to a method of using a therapy device, classified in class 607, subclass 109.

The inventions are distinct, each from the other because of the following reasons:

Inventions II and I are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the tube of the therapy device may be formed by extrusion as opposed to connecting (i.e., welding) two sheets together.

Inventions I and III are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the

product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case the therapy device may be used to heat a portion of the patient's body other than an upper part or may be used to warm or heat something other than a patient (i.e., an experimental sample needing a warm environment).

Inventions II and III are related as process of making and process of using the product. The use as claimed cannot be practiced with a materially different product. Since the product is not allowable, restriction is proper between said method of making and method of using. The product claim will be examined along with the elected invention (MPEP § 806.05(i)).

During a telephone conversation with Thomas Kulaga (Reg. No. 46,844) on 5/6/2005 a provisional election was made with traverse to prosecute the invention of I, claims 1, 6, 8, 9, 11-14, 16, 19, 21 and 28-34. Affirmation of this election must be made by applicant in replying to this Office action. Claims 22, 23, 26 and 35 have withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

Art Unit: 3739

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 6, 9, 14, 32 and 33 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1 and 2 of U.S. Patent No. 6,689,155 B2. Although the conflicting claims are not identical, they are not patentably distinct from each other because in the presently claimed invention the device claims a broad means for exhausting air opposed to a plurality of exhaust ports. More specifically, claim 1 of the patent "anticipates" application claims 1, 6 and 9, while claim 2 of the patent "anticipates" application claims 14, 32 and 33. Accordingly, claims 1, 6, 9, 14, 32 and 33 are not patentably distinct from claims 1 and 2 of the patent. Again, the presently claimed invention (broadly) recites "a means for exhausting air" as opposed to the "plurality of exhaust ports" recited in the patent. Following the rationale in In re Goodman cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

Art Unit: 3739

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claim 21 is rejected under 35 U.S.C. 102(b) as being anticipated by Augustine (USPN 5,674,269).

Regarding claim 21, Augustine discloses a therapy device for providing heated air to a patient's upper body, said device comprising: a means (108) for releasably containing a first quantity of a medium; a means (103a) for connecting a source of said first quantity of said medium to said means for containing; a means (109) for exhausting a second quantity of said medium from said means for containing; a means (the u-shape of 108 in

Art Unit: 3739

combination with the covering sheet 118) for securing said means for containing in a fixed position adjacent to an upper body member, and a means (109 in combination with 118) for directing said second quantity of said medium over said upper body member, see col. 1-6, particularly col. 3, line 34 through col. 5, line 13 and col. 6, lines 19-55 and figures 1-5.

Allowable Subject Matter

Claims 8, 11-13, 16, 19, 28-31 and 34 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron Roane whose telephone number is (571) 272-4771. The examiner can normally be reached on Monday-Thursday 7AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/774,816

Art Unit: 3739

Page 7

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A.R. A.K. May 30, 2005

> LINDA C. M. DVORAK SUPERVISORY PATENT EXAMINER GROUP 3700